MC-D800 Turntable/CD System



Supporting a hundred years of audio invention with playback, from 78rpm SP records and the latest Smartphone with Bluetooth® Wireless Technology.

■ Main Features

- Bluetooth[®] Wireless Audio Streaming with Instant Pairing
- Auto Return 3-speed Turntable with Sapphire Stylus
- Tray-loading CD Player supporting MP3/WMA Playback
- USB Port for MP3/WMA Playback
- PLL Synthesized AM/FM Tuner with Preset Memory
- Detached 2-way Speakers with Rear Bass-reflex Port



Brand	TEAC
Series	Retro Audio series
Model	MC-D800-B
Announcement Date	July 2014
Delivery Date	July 2014 (available on the market)
UPC Code	043774030965
EAN Code	4907034218929
Overall dimensions / NW W x H x D	400 x 206 x 386 / 6.6 (mm/kg) 15.7 x 8.1 x 15.2 / 14.6 (inch/lbs)
Speaker dimensions / NW W x H x D (per piece)	144 x 224 x 154 / 2.8 (mm/kg) 5.7 x 8.8 x 6.1 / 6.2 (inch/lbs)
Package Dimensions / GW W x H x D	610 x 320 x 500 / 13.7 (mm/kg) 24.0 x 12.6 x 19.7 / 30.2 (inch/lbs)
Qty. per Master Carton	1 pc.



Brand	TEAC
Series	Retro Audio series
Model	MC-D800-CH
Announcement Date	July 2014
Delivery Date	July 2014 (available on the market)
UPC Code	043774030972
EAN Code	4907034218936
Overall dimensions / NW W x H x D	400 x 206 x 386 / 6.6 (mm/kg) 15.7 x 8.1 x 15.2 / 14.6 (inch/lbs)
Speaker dimensions / NW W x H x D (per piece)	144 x 224 x 154 / 2.8 (mm/kg) 5.7 x 8.8 x 6.1 / 6.2 (inch/lbs)
Package Dimensions / GW W x H x D	610 x 320 x 500 / 13.7 (mm/kg) 24.0 x 12.6 x 19.7 / 30.2 (inch/lbs)
Qty. per Master Carton	1 pc.



The MC-D800 is a unique audio player that supports a wide variety of audio media spanning the history of human invention, from 78rpm SP records from the good ol'days, to the latest smartphone technology with state-of-the-art connectivity. An auto-return 3-speed turntable supports 33, 45 and 78 rpm vinyl discs, while Bluetooth® wireless connection allows users to enjoy wireless audio streaming from iPhone/Android phones.


The MC-D800 is an ideal family gift for the coming holiday season.

■ Supporting a wide range of audio media

Bluetooth[®] Wireless Audio Streaming with Instant Paring

With an NFC-compatible smartphone, you can establish Bluetooth[®] wireless connection simply placing the smartphone on the top of the unit. If your smartphone is not NFC compatible, you can establish Bluetooth[®] wireless connection via a conventional paring process.







iPhone (Conventional Pairing)

• 3-speed Turntable supports 78 rpm SP records

An auto-return 3-speed turntable can play 33, 45 and 78 rpm records including 7" vinyl records. The factory-installed sapphire stylus which is designed for LP/EP records can be replaced with a diamond stylus (SPL-102, sold separately) which is exclusively designed for SP records.



Sapphire Stylus for LP/EP (STL-103)





Diamond Stylus for SP (SPL-102)



LP/EP



CD Player with MP3/WMA Playback

The tray loading type CD player supports both MP3 and WMA files as well as conventional audio CD (CD-DA). Up to 32-track program play, repeat play and shuffle play are also supported.



USB Port for MP3/WMA Playback

An easy access USB port on the top deck allows users to play MP3/WMA files from a USB flash drive. As well as CD playback, up to 32-track program play, repeat play and shuffle play are supported. The USB port is covered with a rubber cap to prevent dust accumulation.



USB Port with rubber cap

^{*} This product does not send audio signal to Bluetooth® headphones/headset.

11

TEAC

Supplementary New Product Information (SNPI)

PLL Synthesized AM/FM Tuner

The MC-D800 also employs PLL synthesized AM/FM tuner with a 20 preset station memory on each frequency.

Detached 2-way Speakers with Rear Bass-reflex port

The MC-D800 comes with a pair of speakers that employ a 1.5" tweeter and a 3.5" woofer. The detached speaker design allows the MC-D800 to deliver 10W + 10W of output power, thanks to isolated vibrations, playback will not be affected.

Timer function brings music to a part of your day

The timer function allows users to a set of On/Off timer which can be used as an alarm clock. Users can choose the desired source from CD, USB, FM, or AM, and the desired volume level to wake up every morning. Essential alarm clock function including a dimmable LC-display and sleep timer of up to 90 minutes are also

■ Key Features

included.

- Bluetooth[®] Wireless Audio Streaming with Instant Paring (Conventional Pairing also supported)
- Auto-return 3 speed Turntable with Sapphire stylus
- CD Player supporting MP3/WMA files
- USB Port for MP3/WMA Playback
- Up to 32 tracks Program Play (CD/USB)
- Repeat and Shuffle Play (CD/USB)
- PLL Synthesized AM/FM Tuner
- 20AM + 20 FM Preset Memory
- Dimmable Multi-function LC-Display with Digital Clock
- On/Off Timer and Sleep Timer of up to 90 minutes

- 10W + 10W Output power
- Muting
- Line Input and Line Output on Rear
- Headphone Out on Front
- Detached 2-way Speakers with Rear Bass-reflex port
- Remote Control
- Replacement Sapphire Stylus available (STL-103)
- Optional Diamond Stylus for SP records (SPL-102)
- RoHS compliant

■ Specifications

Turntable section

Type Belt Drive, Auto Return
Motor DC Servo Motor
Speed 33-1/3, 45, 78 rpm
Wow and Flutter 0.35% or less
Signal to Noise Ratio 50 dB or more

Cartridge Type Ceramic Stereo Cartridge Factory-installed Stylus Sapphire (STL-103)

Replacement Stylus (Sold separately)

Sapphire Stylus for LP/EP STL-103 (3 per package)
Diamond Stylus for SP SPL-102 (2 per package)

CD Player section

Type Tray Loading
Supported Disc CD-DA, CD-R, CD-RW
Supported Formats PCM (CD-DA), MP3, WMA
PCM

Sampling Frequency 44.1kHz
Bit-length 16-bit

MP3



Sampling Frequency 16k to 48kHz Bit-rate 8k to 320kbps

File Extension .mp3

WMA

Sampling Frequency 32k, 44.1k, 48kHz Bit-rate 8k to 320kbps

File Extension .wma (DRM not supported)

Frequency Response 20 to 20kHz Signal to Noise Ratio 70dB or more

Bluetooth® section

Bluetooth® Version 2.1, +EDR

Bluetooth® Class 2 (Range: approx. 10m/33ft)

Supported Profile A2DP, AVRCP

Codec SBC

Tuner section

Type PLL Synthesizer Band AM, FM

 FM Range
 87.5M to 108.0MHz

 AM Range
 530k to 1710kHz

 Number of Presets
 AM 20 , FM 20

USB section

USB Port USB A

Supported Media USB Flash Memory Supported Formats MP3, WMA

MP3

Sampling Frequency 16k to 48kHz
Bit-rate 8k to 320kbps

File Extension .mp3

WMA

Sampling Frequency 32k, 44.1k, 48kHz Bit-rate 8k to 320kbps

File Extension .wma (DRM not supported)

Speaker section

Type 2-way, Bass-reflex

Units

Tweeter 1.5 inch Woofer 3.5 inch Impedance 8 ohms

Speaker Cable 2.7m / 9 ft (fixed to the Speaker)

Audio Input/Output

Headphone Out 3.5mm (1/8 inch) Stereo Mini Jack x 1

<u>General</u>

 $\begin{array}{lll} \text{Output Power} & 10 \text{ W} + 10 \text{ W} \text{ (8 ohms)} \\ \text{Frequency Response} & 50 \text{Hz to 20kHz} \\ \text{Power} & \text{AC 120V 60Hz} \end{array}$

Power Consumption 20W

Overall Dimensions (W x H x D)

Main Unit 400 x 206 x 386 mm / 15.7" x 8.1" x 15.2" Speaker 144 x 224 x 154 mm / 5.7" x 8.8" x 6.1"



Weight

Main Unit 6.6 kg / 14.6 lbs.

Speaker 2.8 kg / 6.2 lbs. (per piece)

Included accessories Remote Control (RC-1316), AA Batteries x 2,

45rpm Adapter, Sapphire Stylus (installed), AM Loop Antenna, FM Wire Antenna, Owner's Manual, Warranty Card

Optional Parts

STL-103 Sapphire Stylus for LP/EP (3 per package)
SPL-102 Diamond Stylus for SP (2 per package)

■ Rear Panel

